

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A broadcast storing and displaying apparatus which comprises:

a network;

a network management apparatus for managing said network; and

plural types of video apparatuses connected to said network, each of said video apparatuses being capable of inquiring about state information of all others of said video apparatuses by sending an inquiry to said network management apparatus,

wherein each of said plural types of video apparatuses transmits the state information relating to at least one of functions or application program interfaces, service-availability and stored programs thereof to said network, said network management apparatus stores the state information of said plural types of video apparatuses, and when one of said plural types of video apparatuses inquires about the state information of the other video apparatuses to said network management apparatus, said one of said video apparatuses determines and selects, based solely on the state information of the other video apparatuses provided by said network management apparatus, a video apparatus to be a communication partner on the basis of the state information of the other video apparatuses.

2. (Previously Presented) The broadcasting storing and display apparatus as claimed in claim 1, wherein there are provided a plurality of video apparatuses of the same type which are connected to said network.

3. (Currently Amended) A broadcast storing and displaying apparatus which comprises:

a network; and

plural types of video apparatuses connected to said network, wherein each of said plural types of video apparatuses is capable of inquiring about state information relating to at least one of functions or application program interfaces, service-availability and stored programs of the other video apparatuses through said network to the other video apparatuses and then wherein one of said video apparatuses determines and selects, based solely on information received regarding the state information of the other video apparatuses as received by said one of said video apparatuses based on a request output by said one of said video apparatuses, a video apparatus to be a communication partner on the basis of the state information of the other video apparatuses which are obtained from the other video apparatuses.

4. (Previously Presented) The broadcasting storing and [display apparatus as claimed in claim 3, wherein there are provided a plurality of video apparatuses of the same type which are connected to said network.

5. (Canceled)

6. (Canceled)

7. (Currently Amended) A video apparatus connected to a network to which a network management apparatus for managing the network and plural types of video apparatuses are connected, which comprises:

means for transmitting state information relating to at least one of functions or application program interfaces, service-availability and stored programs thereof to said network; and

means for inquiring about the state information of other video apparatuses to said network management apparatus and then determining and selecting a video apparatus to be a communication partner solely on the basis of the state

information of said other video apparatuses which are obtained from said network management apparatus.

8. (Original) The video apparatus as claimed in claim 7, wherein there are provided a plurality of video apparatuses of the same type which are connected to said network.

9. (Currently Amended) A video apparatus connected to a network to which plural types of video apparatuses are connected, which comprises:

means for transmitting state information relating to at least one of functions or application program interfaces, service-availability and stored programs thereof to said network; and

means for inquiring about the state information of other video apparatuses to said other video apparatuses and then determining and selecting a video apparatus to be a communication partner solely on the basis of the state information of said other video apparatuses which are obtained from said other video apparatuses.

10. (Original) The video apparatus as claimed in claim 9, wherein there are provided a plurality of video apparatuses of the same type which are connected to said network.

11. (Withdrawn) A video apparatus connected to a network to which a plurality of other video apparatuses are connected, which comprises:

means for transmitting and receiving a message having a protocol header having a transmitter node ID, a transmitter sub node ID, a transmission destination node ID, a transmission destination sub node ID, a request number, a message ID and a message length, and a message body.

12. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message further includes additional information, and said protocol header further includes an additional information length.

13. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a common interface message.

14. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a component management interface message.

15. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a second type component management interface message.

16. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a resource management interface message.

17. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a pin connection interface message.

18. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a second type pin connection interface message.

19. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a streaming interface message.

20. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a file management interface message.

21. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a monitor interface message.

22. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a media synchronous interface message.

23. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a browser interface message.

24. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a recording reservation interface message.

25. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a second type recording reservation interface message.

26. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a layout interface message.

27. (Withdrawn) The video apparatus as claimed in claim 11, wherein the message is a layout sub interface message.

28. (Currently Amended) A broadcast receiving and storing apparatus which comprises:

a broadcast receiving component for receiving a broadcast program;

broadcast storing components for storing broadcast programs;

a managing component for managing state information relating to at least one of functions or application program interfaces, service-availability and stored programs of said broadcast storing components; and

a network for connecting said broadcast receiving component, said broadcast storing components and said managing component;

wherein said managing component stores the state information; and

said broadcasting receiving component selects one or more broadcast storing components from said broadcast storing components as broadcast storing components which store a program which said broadcasting receiving component receives, solely on the basis of the state information obtained from said managing component through said network.

29. (Currently Amended) A broadcast receiving and storing apparatus which comprises:

a broadcast receiving component for receiving a broadcast program;

broadcast storing components for storing broadcast programs; and

a network for connecting said broadcast receiving component, and said broadcast storing components;

wherein said broadcasting receiving component selects one or more broadcast storing components from said broadcast storing components as broadcast storing components which store a program which said broadcasting receiving component receives, solely on the basis of state information relating to at least one of functions or application program interfaces, service-availability and stored programs obtained from said broadcast storing components through said network.

30. (Withdrawn) A broadcast storing and displaying apparatus which comprises:

broadcast storing components for storing broadcast programs;

a broadcast displaying component for displaying a broadcast program;

a managing component for managing information on the broadcast programs stored in said broadcast storing components; and

a network for connecting said broadcast storing components, said broadcast displaying component, and said managing component;

wherein said broadcast storing components send the information on the broadcast programs stored therein to said managing component through said network;

said managing component stores the information therein; and

said broadcast displaying component selects one or more broadcast storing components from said broadcast storing components as broadcast storing components which reproduce a program which said broadcast displaying component displays on the basis of the information obtained from said managing component through said network.

31. (Withdrawn) A broadcast storing and displaying apparatus which comprises:

broadcast storing components for storing broadcast programs;

a broadcast displaying component for displaying a broadcast program; and

a network for connecting said broadcast storing components, and said broadcast displaying component;

wherein said broadcast displaying component selects one or more broadcast storing components from said broadcast storing components as broadcast storing components which reproduce a program which said broadcast displaying component displays on the basis of information on programs stored in said broadcast storing components obtained from said broadcast storing components through said network.

32. (Withdrawn) A video system which comprises:

a network; and

video components connected to said network;

wherein one of said video component is set in a state waiting for a trigger while other one or more video components are set in a placed state, and said video component set in the state waiting for the trigger sends a message corresponding to the trigger to said other one or more video components set in the placed state and said other one or more video components set in the placed

state begin an operation corresponding to the message when the trigger is caused.

33. (Withdrawn) The video system as claimed in claim 32, wherein correspondence between the trigger and the message is determined by another message which is sent to said video component set in the state waiting for the trigger.

34. (Withdrawn) The video system as claimed in claim 32, wherein correspondence between the message and the operation is determined by another message which is sent to said one or more video components set in the placed state.

35. (Currently Amended) The broadcasting, storing and displaying apparatus as claimed in claim 1, wherein the communication partner is automatically selected by the one of the video apparatuses based on information concerning currently available resources for each of the other apparatuses that is provided to the one of the video apparatuses by the network management apparatus, and wherein the network management apparatus does not select the communication partner for the one of the video apparatuses.

36. (Previously Presented) The broadcasting, storing and displaying apparatus as claimed in claim 35, wherein the currently available resources of each of the other video apparatuses do not include resources that are currently assigned to any of the video apparatuses.

37. (Currently Amended) The broadcasting, storing and displaying apparatus as claimed in claim 3, wherein the communication partner is automatically selected solely by the one of the video apparatuses based on



information concerning currently available resources for each of the other apparatuses that is provided to the one of the video apparatuses.

38. (Previously Presented) The broadcasting, storing and displaying apparatus as claimed in claim 37, wherein the currently available resources of each of the other video apparatuses do not include resources that are currently assigned to any of the video apparatuses.

39. (Currently Amended) ~~The~~ A broadcasting, storing and displaying apparatus ~~as claimed in claim 1,~~ which comprises:

a network;

a network management apparatus for managing said network; and

plural types of video apparatuses connected to said network, each of said video apparatuses being capable of inquiring about state information of all others of said video apparatuses by sending an inquiry to said network management apparatus,

wherein each of said plural types of video apparatuses transmits the state information relating to functions or application program interfaces, service-availability and stored programs thereof to said network, said network management apparatus stores the state information of said plural types of video apparatuses, and when one of said plural types of video apparatuses inquires about the state information of the other video apparatuses to said network management apparatus, said one of said video apparatuses determines, based solely on the state information of the other video apparatuses provided by said network management apparatus, a video apparatus to be a communication partner on the basis of the state information of the other video apparatuses,

wherein, when another video apparatus is newly connected to said network, said another video apparatus outputs on the network, without first being requested to do so by any other apparatus, information concerning the functions or application program interfaces, the service-availability and the stored programs of said another video apparatus.

40. (Currently Amended) ~~The~~ A broadcasting, storing and displaying apparatus ~~as claimed in claim 3,~~ which comprises:

a network; and

plural types of video apparatuses connected to said network, wherein each of said plural types of video apparatuses is capable of inquiring about state information relating to functions or application program interfaces, service-availability and stored programs of the other video apparatuses through said network to the other video apparatuses and then wherein one of said video apparatuses determines, based solely on information received regarding the state information of the other video apparatuses as received by said one of said video apparatuses based on a request output by said one of said video apparatuses, a video apparatus to be a communication partner on the basis of the state information of the other video apparatuses which are obtained from the other video apparatuses,

wherein, when another video apparatus is newly connected to said network, said another video apparatus outputs on the network, without first being requested to do so by any other apparatus, information concerning the functions or application program interfaces, the service-availability and the stored programs of said another video apparatus.